

From: Richard Rupert/R3/USEPA/US
Sent: 2/28/2012 9:41:01 AM
To: Fred Foreman/ESC/R3/USEPA/US@EPA
CC: richard.fetzer@epa.gov
Subject: Re: Fw: Dimock samples

Only first time sampling. Second round samples will not need rad sampling.

Also we will collect only one sample- at well this time.

Richard Rupert
On-Scene Coordinator
Region III U.S.Environmental Protection Agency
1650 Arch Street, 3HS31
Philadelphia, PA 19103-2029
(215) 814-3463 FAX (215) 814-3254
e-mail rupert.richard@epa.gov

----- Original Message -----

From: Fred Foreman
Sent: 02/28/2012 09:38 AM EST
To: Richard Rupert
Subject: Re: Fw: Dimock samples

The ones being sampled in March. Now that you asked, are you planning on collecting rad samples in March along with the other parameters?

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

From: Richard Rupert/R3/USEPA/US
To: Fred Foreman/ESC/R3/USEPA/US@EPA
Date: 02/27/2012 09:24 PM
Subject: Re: Fw: Dimock samples

What are the 30 follow up samples you mentioned to her?

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov

From: Fred Foreman/ESC/R3/USEPA/US

To: Richard Rupert/R3/USEPA/US, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Richard Fetzer/R3/USEPA/US@EPA
Cc: Cynthia Metzger/ESC/R3/USEPA/US@EPA
Date: 02/27/2012 04:55 PM
Subject: Fw: Dimock samples

FYI

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

----- Forwarded by Fred Foreman/ESC/R3/USEPA/US on 02/27/2012 04:54 PM -----

From: Cindy White/MTG/USEPA/US
To: Fred Foreman/ESC/R3/USEPA/US@EPA
Date: 02/27/2012 02:35 PM
Subject: Dimock samples

Fred,

I checked on the status of the Dimock samples and you should get 4 data packages this week (3 for gross alpha/beta and 1 for Radium-228). We are working on the other analyses and will have the data to you as soon as possible.

Also, we will take the 30 follow-up samples that you mentioned to me last week, but they will have to be put them in line after our already scheduled samples. Please let me know when you are going to send these samples.

Thanks,

Cindy White
Analytical Services Coordinator
USEPA/NAREL
540 S. Morris Avenue
Montgomery, AL 36115
334-270-7052 Work
334-270-3454 FAX